Pyrocat HD Extreme Minimal Agitation (EMA) Times, Tank

Sheets in an SP-445 daylight tank, 495 ml, at 70°F (21°C).

Author: Ian Barber, Digital Black and White
Revision: 11 November 2026

- **Dev:** type of development. N is the normal level, and N + and N – levels step development up or down from it.
- **A:** amount of Solution A, in ml (added to 495 ml of water).
- **B:** amount of Solution B, in ml (added to 495 ml of water).
- **Agitate to:** agitate the film until this time.
- **Rest to:** once the agitate time is reached, let the film rest until this time, then agitate again at the next Agitate to time.

Dev	A	B	Agitate to	Rest to	Agitate to	Rest to	Agitate to	Rest to
N	3	2	2:00	9:30	9:50	17:00	17:20	24:30
N + 1	3	2	2:00	12:30	12:50	23:00	23:20	33:30
N + 2	3.5	2.5	3:00	15:00	15:25	27:30	27:55	39:00
N + 3	3.5	2.5	3:00	21:00	21:30	39:30	40:00	57:00
N + 4	4	3	5:00	20:00	20:40	35:40	36:20	50:00
N – 1	3	2	2:00	8:30	8:50	15:00	15:20	21:30
N – 2	3	2	1:30	6:30	6:50	11:50	12:10	16:30
N – 3	2.5	2	1:30	9:30	9:45	17:50	18:05	25:30
N – 4	2.5	2	1:30	8:00	8:15	14:45	15:00	21:00
N – 5	2.5	2	1:25	6:30	6:40	12:05	12:15	17:00
N – 6	2.5	2	1:25	5:30	5:40	10:05	10:15	15:15